


Our Greenline Products

Reed Switches



PMC-0701
PMC-1001
PMC-1401
PMC-2021
PMC-5001
PMC-5025

SMD Reed Switches



PMC-0701S
PMC-1001S
PMC-1401S
PMC-0701TS
PMC-1001T/TS
PMC-1401T/TS

PIC GmbH
Nibelungenstr. 5A
90530 Wendelstein
Germany

Phone +49 911 995906-0
Fax +49 911 995906-99
Mail info@pic-gmbh.com

pic-gmbh.com

© PIC GmbH, 2010

© PIC GmbH, 2010 • Rev. 1/2010 PIC-10015_EN

PIC

GREENLINE. SUSTAINABLE SENSOR SYSTEMS.



Recyclable

The Reed Switch consists of merely glass and metal and, hence, it is "as easy to recycle as bottles and cans".

Yet another advantage is the low weight with constant miniaturisation: Thus, our PMC-0701S weighs merely 0.03 gm.

→ **Upcycling pure!**

No power consumption in stand-by mode

In contrast to active electronic systems, Reed Switches do not require any separate power supply.


→ **The zero-energy component!**

No micro emissions

The hermetically sealed Reed Switch does not produce any micro emissions (Ozone, nitrogen oxides).

→ **Simply clean!**

GREENLINE. SUSTAINABLE SENSOR SYSTEMS.



100% Recyclable.



Immune to ESD

Reed Switches are, by and large, immune to ESD.

→ **Additional safety components and shielding arrangements are dispensed with!**

Negligible heat dissipation

While semiconductors often become perceptibly hot, the Reed Switch remains absolutely cool and reduces measures required for cooling.

→ **Heat sinks goodbye!**

Fewer components

Reed Switch technology permits space-saving developments using the bare minimum of external components.

→ **The less the merrier!**

Do you still have queries? It would be our pleasure to provide further information to you personally.

pic-gmbh.com

Phone +49 911 995906-0